


COVID-19 AND PREGNANCY IN SOUTH CAROLINA




WOMEN OF CHILD-BEARING AGE WHO HAVE TESTED POSITIVE FOR COVID-19 HAVE BEEN PREGNANT

COVID-19 CASES AMONG PREGNANT WOMEN, BY WEEK ENDING ON (N=1,385)




COVID-19 AND PREGNANCY, BY RACE (N=1,385)



SINCE SEPTEMBER 19TH WHITE WOMEN HAVE MADE A GREATER PERCENTAGE OF PREGNANCIES AMONG COVID-19 CASES

COMORBID CONDITIONS AMONG PREGNANT WOMEN WITH COVID-19



ASTHMA IS THE LEADING COMORBID CONDITION AMONG PREGNANT WOMEN OF CHILD BEARING AGE (7.1%), LOWER THAN THOSE FEMALES WHO ARE NOT PREGNANT (7.6%)



DIABETES IS THE SECOND LEADING COMORBID CONDITION AMONG PREGNANT WOMEN OF CHILD BEARING AGE (2.6%), LOWER THAN THOSE WHO ARE NOT PREGNANT (3.2%)

COVID-19 AND PREGNANCY IN SOUTH CAROLINA



6.2% OF ALL PREGNANT COVID-19 CASES HAVE BEEN HOSPITALIZED, COMPARED TO 1.6% OF THEIR NON-PREGNANT COUNTERPARTS.

COVID-19 AND PREGNANCY, AGE RELATED INFORMATION



**MINIMUM
AGE**



**AVERAGE
AGE**



**MAXIMUM
AGE**



OF THE 1,342 WOMEN WHO HAVE A RESPONSE ON HEALTH CARE WORKER STATUS, 21.4% OF PREGNANT COVID-19 PATIENTS ARE HEALTH CARE WORKERS



PRODUCED BY THE BUREAU OF POPULATION HEALTH DATA ANALYTICS & INFORMATICS

**DATA AS OF 11:59 PM ON 12/29/2020
DATA ARE PROVISIONAL**
